

ELECTRICAL SUPPLIES

Material	Description	UOM	Surplus stock	Bin-No
32000015	CABLE GLAND DOUBLE COMPRESSION BRASS WITH NICKEL PLATED SIZE::2" CAT.REF:CBW10	NOS	23	1.G.7&8
32000041	STRAIGHT THRO' CABLE JOINT KIT MODEL: S2 FOR 1.1 KV GR. ALUMINIUM CABLE	NOS	8	41.E.6
32000052	ALLUMINIUM TUBE TERMINAL SIZE: 50 SQ MM CATREF:ALS-224 MAKE:DOWELLS	NOS	5	6.C.21
32000054	ALLUMINIUM TUBE TERMINAL SIZE: 95 SQ MM CATREF:ALS-229 MAKE:DOWELLS	NOS	5	6.B.22
32000061	IN-LINE CONNECTOR ALUMINIUM SIZE:10 SQ MM CAT NO.ALS-14 MAKE:DOWELLS	NOS	5	6.B.22
32000065	IN-LINE CONNECTOR ALUMINIUM SIZE:50 SQ MM CAT NO.ALS-12 MAKE:DOWELLS	NOS	3	6.B.14
32000084	DECOLAM SHEET COLOR:IVORY SIZE: 2.5" X 2.5" THK: 2 MM WITH SELF DESIGN	NOS	3	4.D.12
32000107	TERMINAL BLOCK 2-WAY FOR WELL GLASS FIXTURES HPMV 125 W	NOS	59	4.D.8
32000127	CONDENSER FOR WELL GLASS FIXTURES 125 W HPMV	NOS	46	2.B.10
32000129	COUPLIER G.I. SIZE: 19 MM	NOS	50	6.B.9
32000142	NEOPRENE GASKET FOR CONTROL GEAR 125 W HPMV	NOS	10	415.A.1
32000171	REFLECTOR AL. POLISHED ANADISED / CP FOR WELL GLASS FIXTURES 125 W HPMV	NOS	46	5.B.7&8
32000241	INSULATOR PIN TYPE LT GR. 415 V	NOS	140	8.F.2TO4
32000242	INSULATOR PIN TYPE 11 KV GR	NOS	42	7.G.3TO5
32000268	RAWL PLUG SIZE NO.8	NOS	6	6.E.20
32000296	LUG COPPER REDUCER TYPE SIZE: 300 SQ MM CAT NO :WPC-45 MAKE : DOWELLS	NOS	31	6.C.13
32000320	SWITCH 15A 250V IRON CLAD DOUBLE POLE WITH REWIRABLE FUSE UNITS	NOS	1	2.F.13
32000336	SWITCH FUSE UNIT 400 A TPN CONTACT SHIELD (ARC CHAMBER) MAKE: GEC	NOS	2	5.C.9
32000364	COUPLING PVC 25 MM DIA (SUITABLE FOR 1" DIA PVC PIPE)	NOS	30	5.F.6
32000372	SADDLES PVC 1"	NOS	15	5.F.6
32000408	SERVO STABILISER 3 KVA INPUT VOLTAGE:170 TO 270V OUTPUT VOLTAGE:230V + 1%	NOS	1	B2 ROOM.1
32000409	SERVO STABILISER 4 KVA INPUT VOLTAGE:170 TO 270V OUTPUT VOLTAGE:230V + 1%	NOS	9	B2 ROOM.1
32000496	HRC FUSE LINK 16 AMPS CODE:SFA8120016 EIT BOLTED TYPE MAKE: GE	NOS	5	3.G.16
32000497	HRC FUSE LINK 20 AMPS	NOS	42	3.G.14

ELECTRICAL SUPPLIES

Material	Description	UOM	Surplus stock	Bin-No
	CODE:SFA 8120020 EIT BOLTED TYPE			
	MAKE: GE			
32000498	FUSE LINK 25 AMPS	NOS	2	3.G.12
	CODE: SFA 8120025 EIT BOLTED TYPE			
	MAKE: GE			
32000499	HRC FUSE 32AMPS	NOS	19	3.G.17
	CODE:SFA-8120032 EIT			
	MAKE: GE			
32000504	FUSE HRC 400 AMPS	NOS	28	3.D.9
	CODE:SFB 8361400 TSMS TYPE			
	MAKE: GE			
32000505	FUSE HRC 630 AMPS	NOS	25	3.D.7
	TSL 630 TYPE			
	MAKE: EE			
32000508	FUSE HRC 80 AMPS	NOS	5	3.E.18
	CODE:SFB8337080 TSDC TYPE			
	MAKE: GE			
32000512	FUSE HRC 415V 200AMPS	NOS	30	3.B.7
	VSF 200 TYPE			
	MAKE: EE			
32000527	FUSE HRC 660 V 100 AMPS	NOS	40	3.E.8
	CODE: SFB8125100 TCP 100 TYPE			
	MAKE: GE			
32000529	FUSE LINKS HRC 100 AMPS	NOS	7	3.B.15
	CAT NO:SF 94029 HN TYPE			
	MAKE: L&T			
32000531	FUSE HRC 200 AMPS 415 V	NOS	21	3.C.10
	CAT.REF SF 94132 HN 200 TYPE			3.C.10
	MAKE: L&T			
32000533	FUSE HRC 400 AMPS 500V 50 HZ	NOS	29	3.C.7
	CAT NO.95322. HM TYPE			
	MAKE: L&T			
32000550	FUSE BASE 200 AMPS	NOS	12	6.D.3
	HM FUSE TYPE			
	MAKE: L&T			
32000595	LIGHT POINTS - 14 POINTS	NOS	10	6.D.15
	FOR 19 MM BALL SOCKET			
32000597	LIGHT POINTS - 14 POINTS	NOS	50	6.B.1
	FOR 19 MM BAR SADDLE			
32000617	JUNCTION BOX GI 1-WAY INSPECTION	NOS	28	5.A.3
	SIZE: 25 MM			
32000620	JUNCTION BOX GI 3-WAY INSPECTION	NOS	105	5.C.2
	SIZE: 19 MM			
32000621	JUNCTION BOX GI 3-WAY INSPECTION	NOS	38	5.B.4
	SIZE: 25 MM			
32000622	JUNCTION BOX GI 4-WAY INSPECTION	NOS	15	5.A.3
	SIZE: 19 MM			
32000635	SADDLES GI	NOS	245	6.C.3
	SIZE: 19 MM			
32000770	LAMP FOR MOSAIC PANEL 30V DC 40 MA	NOS	100	1.B.15
	LENTH 30 MM WIDTH 4.5" MM DIA 5 MM			
32000794	CLAMPS FOR DISC INSULATORS	NOS	8	6.A.2
	INCLUDING HARDWARE SUITABLE			
	FOR ACSR CONDUCTORS			
32000932	CHECK NUT	NOS	48	1.D.16
	FOR CABLE GLAND			
	SIZE: 1"			
32000961	LUG COPPER HEAVY DUTY	NOS	300	6.D.7&8
	CAT NO:CUS-290 SIZE:240 SQ.MM			
	MAKE:DOWELLS			
32000962	LUG COPPER HEAVY DUTY	NOS	42	6.C.7&8

ELECTRICAL SUPPLIES

Material	Description	UOM	Surplus stock	Bin-No
	CAT NO:CUS-248 SIZE: 630 SQ.MM			
	MAKE: DOWELLS			
32000977	LUG ALUMINIUM CAT.NO.ALS XL30	NOS	6	6.C.12
	SIZE:630 SQ.MM MAKE: DOWELLS			
32001026	CABLE TRAY ALUMINIUM	NOS	486	900.S.19
	LADDER TYPE			
	SIZE: 600MM WIDTH-2 MTR LONG EACH			
32001029	CABLE TRAY ALUMINIUM	NOS	210	900.S.18
	LADDER TYPE			
	SIZE:300MM WIDTH-2MTR LONG EACH			
32001030	CABLE TRAY ALUMINIUM	NOS	138	900.S.19
	PERFORATED TYPE			
	SIZE:300MM WIDTH-2MTR LONG EACH			
32001033	CABLE TRAY COVER ALUMINIUM	NOS	8	900.S.18
	COVER TYPE			
	SIZE:W-600MM L-2 M			
32001039	BEND AL LADDER TYPE VERTICAL	NOS	48	900.S.19
	INSIDE RISER BEND			
	SIZE:600MM WIDTH			
32001040	CABLE TRAY ALUMINIUM	NOS	50	900.S.19
	HORIZNTL BEND 90 DEG1000MM RADIUS			
	SIZE: 600 MM WIDTH,(LADDER TYPE).			
32001041	BEND (CONNECTIONS)	NOS	50	900.S.19
	ALUMINIUM 4-WAY LADDER TYPE			
	SIZE: W-600 MM			
32001042	BEND ALUMINIUM 3-WAY	NOS	91	900.S.19
	LADDER TYPE			
	SIZE: W-600 MM			
32001043	BEND ALUMINIUM	NOS	1	900.S.18
	VERTICAL OUTSIDE RISER BEND			
	LADDER TYPE SIZE:W-300MM L-1.6M			
32001213	CONTACT SET FOR 3TA21 16 AMPS	NOS	1	5.C.14
	TYPE:3TY12 10-OA			
	MAKE: SIEMENS			
32001215	CONTACT SET FOR 3TA16 105 AMPS	NOS	31	5.C.22
	TYPE:3TY1280-OA			
	MAKE: SIEMENS			
32001217	CONTACT SET FOR 3TA22 30 AMPS	NOS	57	5.E.18
	TYPE:3TY1220-OA			
	MAKE: SIEMENS			
32001275	CONTACTOR(5NO+2NC)	NOS	2	5.G.9
	6 A COIL VOL: 240 V CODE:SGL810100			
	TYPE: ECA MAKE: EE			
32001479	OVER LOAD RELAY BIM 2.0 - 3.0 AMPS	NOS	2	5.E.8
	TYPE 3UA19 11-OBP			
	MAKE: SIEMENS			
32001655	FUSE LINK WITH OFF SET TAG 2 AMPS	NOS	49	3.E.12
	TYPE: EIT SFA8120002 BOLTED TYPE			
	MAKE: EE			
32001657	HRC FUSE LINK 10 AMPS	NOS	4	3.G.14
	TYPE:EIT10 SFA8120010 BOLTED TYPE			
	MAKE: GE			
32001710	HRC FUSE WITH CENTRAL TAG 160 A	NOS	11	3.E.9
	TYPE:TSF160 SFB8340160			
	MAKE:GE			
32001711	HRC FUSE WITH CENTRAL TAG 250AMPS	NOS	38	3.E.7
	TYPE:TSK250 SFB 8345250			
	MAKE:GE			
32001799	HRC FUSE 80 AMPS	NOS	1	3.B.14
	TYPE:HN CAT NO:SF94232 G-II			
	SIZE:00 MAKE:L&T			

ELECTRICAL SUPPLIES

Material	Description	UOM	Surplus stock	Bin-No
32001808	HRC FUSE 400 AMPS MAKE:L&T	NOS	15	3.D.11
32002128	CABLE GLAND SIZE:CBF 11	NOS	8	5.C.1
32002129	CABLE GLAND SIZE:CBF 12	NOS	11	5.B.1
32002143	LUG SS 2.5 SQ.MM (WPC-7)	NOS	200	6.C.16
32002164	TERMINAL LOCKING END SCREWS SIDE CLAMP WITH SCREWS	NOS	20	4.D.19
32002215	TRANSPARENT COVER COLOUR : GREEN DIA: 28 MM	NOS	19	4.C.18
32002216	TRANSPARENT COVER COLOUR :RED DIA: 28 MM	NOS	20	4.C.22
32002238	INTR CELL CNTOR FOR 500AH BATTERY TYPE:TM-500H MAKE:EXIDE	NOS	50	4.F.4
32002239	VENT PLUG CUM LEVEL INDICATOR FOR 500AH BATTERY TYPE:TM-500H MAKE:EXIDE	NOS	50	4.F.3
32002534	PUSH BUTTON LUMINOUS WITH 2 NO CONTACTS COLOUR:GREEN	NOS	1	4.B.10
32002568	CONTACT KIT FOR MM00 CONTACTOR CAT NO.SS91352 MAKE:L&T	NOS	36	5.F.18
32002617	LT DISK INSULATOR 415 V	NOS	10	7.F.3,4
32002948	CONTACTOR MM00 (2NO+2NC) AUX. COIL 110 V 50 HZ. MAKE: L&T	NOS	1	5.G.12
32002957	OVERLOAD RELAY 2A-3.A TYPE:3UA52 00-1D MAKE:SIEMENS	NOS	4	5.D.10
32002958	OVERLOAD RELAY 3.2A-5A TYPE:3UA52 00-1F MAKE:SIEMENS	NOS	8	5.D.9
32003180	FUSE HRC 630 AMPS MAKE: EE	NOS	13	3.D.8
32003187	CABLE TRAY JIONTING PLATE	NOS	45	4.E.7
32003230	DUMMY PLUGS 3/4" PVC	NOS	34	6.B.10
32003249	CABLE GLAND DOUBLE COMPRESSION SIZE: 3/4" 2 X 1.5 CBF01 MAKE: COMET	NOS	34	1.E.9
32003523	BIG HOUSING SIZE:480 X 350 X 300 MM MAKE: MANGHH	NOS	2	6.E.3
32003603	FIXTURE WITH WELL GLASS 300W-GLS WITH WELL GLASS WIRE GUARD E27 EDISON SCREW CAP TYPE:IP55	NOS	6	40.DE.3TO6
32003644	TERMINAL CONNECTOR 750 V AC+N623TYPE:CST-6 MAKE: ELEMEX	NOS	1000	5.G.3
32003696	REFLECTOR ANODISED ALUMINIUM FOR 125W HPMV/150W GLS WELL GLASS FIX. MAKE:CEAG	NOS	154	1.A.5 1.A.5
32003697	REFLECTOR ANODISED ALUMINIUM FOR 400 W HPMV/150W GLS WELL GLASS FIX. MAKE:CEAG	NOS	25	3.E.3

ELECTRICAL SUPPLIES

Material	Description	UOM	Surplus stock	Bin-No
32003714	GASKET NEOPRENE FOR CONTROL GEAR BOX FOR 400 W HPMV LIGHT FITTING	NOS	8	415.A.3
32003756	SWITCH 16 AMPS TYPE C10P1260 10A/440V AC MAKE:RECOM	NOS	2	2.E.10
32003763	CONTACT KIT FOR CONTACTOR 45 AMPS FIXED AND MOVING TYPE	NOS	1	5.B.22
32003764	CONTACT KIT FOR CONTACTOR 32 AMPS FIXED AND MOVING TYPE	NOS	1	5.C.21
32003765	CONTACT KIT FOR CONTACTOR 22 AMPS FIXED AND MOVING TYPE	NOS	1	5.F.10
32003836	CABLE TRAY ALUMINIUM TYPE: PERFORATED SIZE: 300 MM WIDTH 2.5 MTRS LENGTH	NOS	12	900.S.19
32003865	CABLE TRAY BEND TYPE: ALUMINIUM LADDER INSIDE RISER WITH 45 DEGREES	NOS	75	900.S.18
32003969	PERMANENT WIRE TIGHTENERS FOR SOLAR POWER FENCING	NOS	12	6.F.2
32003970	DOUBLE INSULATED CABLE FOR SOLAR POWER FENCING JOINT CLAMPS	M	75	6.E.2
32003971	JOINT CLAMPS FOR SOLAR POWER FENCING	NOS	42	6.E.2
32003973	SUPER EARTH KITS FOR SOLAR POWER FENCING INTERNAL POLES	NOS	12	9.A&B.1
32005128	SERVO STABILIZER CONTROLLED VOLTS 1 KV MODEL SVS-1001 230 V 1 PHASE 4.35 A MAKE: I.T.L.	NOS	1	B2 ROOM.1
32005129	STABILIZER SERVO 1 KVA (SL NO.2140787)INPUT :172 - 270 V OUTPUT MAKE:KRYKARD	NOS	1	B2 ROOM.1
R32000407	VOLTAGE STABILISER 1 KVA	NOS	3	B2 ROOM.1
R32001289	POWER CONTACTOR WITH 240 V AC COIL TYPE:3C1FL43 MAKE:TELEMECANIQUE	NOS	1	40.E.2
R32003773	ROTARY LIMIT SWITCH	NOS	4	3.A.2&3
R32003976	MOUNTING KIT FOR SOLAR POWER FENCING	NOS	1	9.E.1
R32005070	VOLTAGE STABILIZER 0.5 KVA INPUT:170/27 OUTPUT:230V+/- 1% MAKE:KRYKARD	NOS	1	B2 ROOM.1
R32005081	STABILIZER RATING 2 KV	NOS	1	41.B.3
R32005092	FPB (FEEDER PILLAR BOX) WITH 400 A INCOMER AND 10 FEEDERS 250A FEEDERS:4NOS AND 63A FEEDERS:6NOS	NOS	1	901.RAMP